

Statistical Inference

Contents

| | |
|---|---|
| 1 Inference | 1 |
| 2 Interpretation of Negative Findings | 1 |
| 3 Confidence intervals | 3 |

1 Inference

Definition 1.1 (Statistical inference). Statistical inference is the process of analyzing data in order to learn about the shape and structure of a probability distribution. ¹

Statistical inference typically consists of two steps:

1. fitting a statistical model to data
 2. summarizing our uncertainty about the parameters of the fitted model based on the data (and our prior beliefs).
-

There are two predominant paradigms for statistical inference:

1. Bayesian inference²
2. Frequentist inference³

2 Interpretation of Negative Findings

If an estimation interval includes the null hypothesis, or equivalently if a hypothesis test fails to reject the null hypothesis, that doesn't *necessarily* mean that the null hypothesis is true. Accordingly, we should not write interpretations of results as “the odds (or risks/hazards/means) are not significantly different”; instead, we should write something like “the data does not provide statistically significant EVIDENCE that the odds (or analogous estimands) differ”. Statistical significance is a characteristic of evidence, not of the estimands.

P-values do not distinguish between absence of evidence and evidence of absence.

Confidence intervals do: if the confidence interval is narrow and includes the null value, then that confidence interval represents evidence of absence. If a confidence interval includes the null value but also includes substantially non-null values, then that confidence interval represents absence of evidence.

Also, even if we do have statistically significant evidence of a non-null value, the estimated value may not be **substantially different from 0**, depending on what estimand is. For example, we

¹I adapted this definition from Wikipedia's (Wikipedia contributors 2025).

²[intro-bayes.qmd#sec-bayes](#)

³[intro-MLEs.qmd#sec-intro-MLEs](#)

might have statistically significant evidence that a certain exercise prolongs human lifespans by 20 seconds, but that effect would probably not be substantially different from 0 in practical terms.

Figure 1 sketches various scenarios for confidence intervals, from office hours. To do: convert this sketch into a nicely formatted figure.




Figure 1: Interpretations of various confidence intervals

See also Vittinghoff et al. (2012) §3.7 (p64).

3 Confidence intervals

Definition 3.1 (margin of error). The **margin of error** (a.k.a. the **radius**) is one-half the width of a confidence interval.

more:

- Anatomy of a confidence interval (text)⁴
- <https://www.youtube.com/watch?v=vq1KrE7gU5M>

Vittinghoff, Eric, David V Glidden, Stephen C Shiboski, and Charles E McCulloch. 2012. *Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Models*. 2nd ed. Springer. <https://doi.org/10.1007/978-1-4614-1353-0>.

Wikipedia contributors. 2025. *Statistical Inference* — *Wikipedia, the Free Encyclopedia*. https://en.wikipedia.org/w/index.php?title=Statistical_inference&oldid=1304071803.

⁴<https://wmed.edu/sites/default/files/ANATOMY%20OF%20A%20CONFIDENCE%20INTERVAL%20%28full%29.pdf>